


2024 Catalog


Collection Index



Kleenscreen Blackout




Kleenscreen Blackout combines the functionality and durability of a typical solar screen with the privacy of a 100% blackout fabric. The unique formulation of the yarn eliminates the need for a blackout coating, thereby keeping the blackout fabric the same on both sides and making it highly suitable for open roll systems. Featuring Sanitized®, Kleenscreen Blackout inhibits the development of bacterial odors as well as the growth of mold and mildew on your fabric. Easy to weld and easy to clean, Kleenscreen Blackout provides a practical solution for any residential or commercial interior space.






Pumice

Alloy



Shale



Graphite

Black



Composition	25% Polyester, 75% PVC						
Openness	Blackout						
Width(s)	118" (3m)						
Length	33 yd/roll (30m)						
Weight	16.96oz/yd2 (575 g/m2)						
Thickness	0.027in (.69mm)						
Fire Classification	NFPA 701						
Fungal/Bacterial Resistance	ASTM E2180 and G21						
Railroadable	No						
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely. Avoid solvents or test them in inconspicuous area first.						
Technical & Quality Data	Visit texstyle.com for full details						
Features	FR LEAD FREE FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FORMALDEHYDE PHTHALATE FRAGRANCE ANTI-						
Certifications	FREE FREE FREE FREE FREE BACTERIAL SAVING Image: Standard 100 Image: Standard 100						

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091003000ICE	lce	118			
091003000BAR	Barley	118			
091003000PUM	Pumice	118			
091003000ALL	Alloy	118			
091003000SHA	Shale	118			
091003000GRA	Graphite	118			
091003000BLA	Black	118			

Kleenscreen 1%



Kleenscreen with Sanitized[®] Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen's performance against solar heat and glare also make this an ecofriendly and cost saving solution for any space.









Canyon



Pure White



Ash

Barley

Raven



Black

Alloy

Graphite




Composition	26% Polyester, 74% PVC					
Openness	1%					
Width(s)	98.4" (2.5m),118" (3m)					
Length	33 yd/roll (30m)					
Weight	14.25oz/yd2 (483g/m2)					
Thickness	0.024in (.60mm)					
Fire Classification	NFPA 701					
Fungal/Bacterial Resistance	ASTM E2180 and G21					
Railroadable	No					
	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or					
Cleaning	gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com-					
	gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely. Avoid solvents or test them in inconspicuous area first.					
Technical & Quality Data						
Technical & Quality Data Features	pletely. Avoid solvents or test them in inconspicuous area first. Visit texstyle.com for full details					
·	pletely. Avoid solvents or test them in inconspicuous area first.					
·	pletely. Avoid solvents or test them in inconspicuous area first. Visit texstyle.com for full details FR LEAD FREE FORMALDEHYDE FREE FREE FREE FREE ANTI- FREE FREE FREE FREE FREE FREE FREE FREE					
Features	pletely. Avoid solvents or test them in inconspicuous area first. Visit texstyle.com for full details FR LEAD FREE FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE FREE FREE FREE FREE BACTERIAL ENERGY PRINTABLE					

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091012500M16	Barley	98.4			
091012500M18	Black	98.4			
091012500M19	Graphite	98.4			
091012500M36	Pure White	98.4			
091012500M37	Alloy	98.4			
091012500M46	Canyon	98.4			
091012500M47	Raven	98.4			
091012500M49	Ash	98.4			
091013000M16	Barley	118			
091013000M18	Black	118			
091013000M19	Graphite	118			
091013000M36	Pure White	118			
091013000M37	Alloy	118			
091013000M46	Canyon	118			
091013000M47	Raven	118			
091013000M49	Ash	118			

Kleenscreen 3%



Kleenscreen with Sanitized® Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen's performance against solar heat and glare also make this an eco-friendly and cost saving solution for any space.



Black

Ash



Composition	26% Polyester, 74% PVC					
Openness	3%					
Width(s)	98.4" (2.5m), 118" (3m)					
Length	33 yd/roll (30m)					
Weight	14.01oz/yd2 (475g/m2)					
Thickness	0.022in (.56mm)					
Fire Classification	NFPA 701					
Fungal/Bacterial Resistance	ASTM E2180 and G21					
Railroadable	No					
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely. Avoid solvents or test them in inconspicuous area first.					
Technical & Quality Data	Visit texstyle.com for full details					
Features	FR LEAD FREE FORMALDEHYDE FORMALDEHYDE FREE FREE FREE FREE FREE FREE SAVING					
Certifications	Image: Standard Standa					

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091032500M16	Barley	98.4			
091032500M18	Black	98.4			
091032500M19	Graphite	98.4			
091032500M36	Pure White	98.4			
091032500M37	Alloy	98.4			
091032500M46	Canyon	98.4			
091032500M47	Raven	98.4			
091032500M49	Ash	98.4			
091033000M16	Barley	118			
091033000M18	Black	118			
091033000M19	Graphite	118			
091033000M36	Pure White	118			
091033000M37	Alloy	118			
091033000M46	Canyon	118			
091033000M47	Raven	118			
091033000M49	Ash	118			

Kleenscreen 5%



Kleenscreen with Sanitized[®] Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen's performance against solar heat and glare also make this an eco-friendly and cost saving solution for any space.



Black

Ash

Raven



Composition	26% Polyester, 74% PVC					
Openness	5%					
Width(s)	98.4" (2.5m), 118" (3m)					
Length	33 yd/roll (30m)					
Weight	13.12oz/yd2 (445g/m2)					
Thickness	0.022in (.56mm)					
Fire Classification	NFPA 701					
Fungal/Bacterial Resistance	ASTM E2180 and G21					
Railroadable	No					
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely. Avoid solvents or test them in inconspicuous area first.					
Technical & Quality Data	Visit texstyle.com for full details					
Features	O (26) (27) (27) (27) (27) (27) (27) (27) (27					
	FR LEAD FREE FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE FREE BACTERIAL SAVING					
Certifications	HEALTH PRODUCT HEALTH PRODUCT BECLARATION					

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091052500M16	Barley	98.4			
091052500M18	Black	98.4			
091052500M19	Graphite	98.4			
091052500M36	Pure White	98.4			
091052500M37	Alloy	98.4			
091052500M46	Canyon	98.4			
091052500M47	Raven	98.4			
091052500M49	Ash	98.4			
091053000M16	Barley	118			
091053000M18	Black	118			
091053000M19	Graphite	118			
091053000M36	Pure White	118			
091053000M37	Alloy	118			
091053000M46	Canyon	118			
091053000M47	Raven	118			
091053000M49	Ash	118			

3000 NET Privacy



3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET Privacy is the tightest weave in the offering.

Perfect for bedrooms, it offers maximum privacy with limited view-through.




White/White

White/Beige



Charcoal/Charcoal

Charcoal/Bronze



Charcoal/Gray

Composition	25% Polyester, 75% PVC					
Openness	<1% Privacy					
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)					
Length	33 yd/roll (30m)					
Weight	15.28oz/yd2 (518g/m2)					
Thickness	0.026in (.68mm)					
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19					
Fungal/Bacterial Resistance	ASTM E2180, G21, G22					
Railroadable	Yes					
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely. Avoid solvents or test them in inconspicuous area first.					
Technical & Quality Data	Visit texstyle.com for full details					
Features	Image: Free back back back back back back back back					
Certifications	CERNCIARD LOW VOC BEALTH PRODUCT DECLARATION DECLARAT					

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030PR2000N001	White/White	78.7			
030PR2000N002	White/Beige	78.7			
030PR2000N003	White/Gray	78.7			
030PR2500N001	White/White	98.4			
030PR2500N002	White/Beige	98.4			
030PR2500N003	White/Gray	98.4			
030PR2500N901	Charcoal/Charcoal	98.4			
030PR2500N902*	Charcoal/Bronze	98.4			
030PR2500N903	Charcoal/Gray	98.4			
030PR3000N001	White/White	118			
030PR3000N002	White/Beige	118			
030PR3000N003	White/Gray	118			
030PR3000N901	Charcoal/Charcoal	118			
030PR3000N902	Charcoal/Bronze	118			
030PR3000N903	Charcoal/Gray	118			t

3000 NET 1%



3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 1% is a favorite amongst those seeking privacy while still allowing some light to come into the space.



Gray/Gray

Charcoal/Charcoal

Charcoal/Bronze

Charcoal/Gray

Composition	25% Polyester, 75% PVC					
Openness	1%					
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)					
Length	33 yd/roll (30m)					
Weight	15.28oz/yd2 (518g/m2)					
Thickness	0.026in (.68mm)					
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19					
Fungal/Bacterial Resistance	ASTM E2180, G21, G22					
Railroadable	Yes					
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely. Avoid solvents or test them in inconspicuous area first.					
Technical & Quality Data	Visit texstyle.com for full details					
Features	FR LEAD FREE FORMALDEHYDE PHTHALATE FREE FRAGRANCE ANTH LIFETIME PRINTABLE					
Certifications	REALTH PRODUCT NOT DECLARATION REALTH PRODUCT DECLARATION REALTH PRODUCT DECLARATION REALTH PRODUCT DECLARATION REALTH PRODUCT DECLARATION REALTH PRODUCT DECLARATION REALTH PRODUCT DECLARATION REALTH PRODUCT DECLARATION REALTH PRODUCT DECLARATION REALTH PRODUCT REALTH PRODU					

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030012000N001	White/White	78.7			
030012000N002	White/Beige	78.7			
030012000N003	White/Gray	78.7			
030012000N203	Beige/Gray	78.7			
030012000N901	Charcoal/Charcoal	78.7			
030012500N001	White/White	98.4			
030012500N002	White/Beige	98.4			
030012500N003	White/Gray	98.4			
030012500N203	Beige/Gray	98.4			
030012500N301	Gray/Gray	98.4			
030012500N901	Charcoal/Charcoal	98.4			
030012500N902	Charcoal/Bronze	98.4			
030012500N903	Charcoal/Gray	98.4			
030013000N001	White/White	118			
030013000N002	White/Beige	118			
030013000N003	White/Gray	118			
030013000N201	Beige/Beige	118			
030013000N203	Beige/Gray	118			
030013000N301	Gray/Gray	118			
030013000N901	Charcoal/Charcoal	118			
030013000N902	Charcoal/Bronze	118			
030013000N903	Charcoal/Gray	118			

3000 NET 3%



3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 3% has quickly become a market leader for those seeking the perfect combination of privacy and natural light.



Gray/Gray

Charcoal/Charcoal

Charcoal/Bronze

Charcoal/Gray

25% Polyester, 75% PVC					
3%					
78.7" (2m), 98.4" (2.5m), 118" (3m)					
33 yd/roll (30m)					
13.12oz/yd2 (445g/m2)					
0.022in (.57mm)					
NFPA 701, M1, B1, B2, CA Title 19					
ASTM E2180, G21, G22					
Yes					
Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or					
gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely.					
Avoid solvents or test them in inconspicuous area first.					
Visit texstyle.com for full details					
ED LEAD FREE FORMALDEHYDE PHTHALATE FRAGRANCE ANTI-					
FR LEAD FREE FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- LIFETIME PRINTABLI FREE FREE FREE BACTERIAL WARRANTY					

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030032000N001	White/White	78.7			
030032000N002	White/Beige	78.7			
030032000N003	White/Gray	78.7			
030032000N203	Beige/Gray	78.7			
030032000N301	Gray/Gray	78.7			
030032000N901	Charcoal/Charcoal	78.7			
030032000N902*	Charcoal/Bronze	78.7			
030032000N903	Charcoal/Gray	78.7			
030032500N001	White/White	98.4			
030032500N002	White/Beige	98.4			
030032500N003	White/Gray	98.4			
030032500N201	Beige/Beige	98.4			
030032500N203	Beige/Gray	98.4			
030032500N301	Gray/Gray	98.4			
030032500N901	Charcoal/Charcoal	98.4			
030032500N902	Charcoal/Bronze	98.4			
030032500N903	Charcoal/Gray	98.4			
030033000N001	White/White	118			
030033000N002	White/Beige	118			
030033000N003	White/Gray	118			
030033000N201	Beige/Beige	118			
030033000N203	Beige/Gray	118			
030033000N301	Gray/Gray	118			
030033000N901	Charcoal/Charcoal	118			
030033000N902	Charcoal/Bronze	118			
030033000N903	Charcoal/Gray	118			

3000 NET 5%



3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 5% is the perfect choice for those looking to preserve the view but also offer a small amount of privacy.



Charcoal/Bronze

Charcoal/Gray

Composition	25% Polyester, 75% PVC				
Openness	5%				
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)				
Length	33 yd/roll (30m)				
Weight	12.39oz/yd2 (420g/m2)				
Thickness	0.022in (.57mm)				
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19				
Fungal/Bacterial Resistance	ASTM E2180, G21, G22				
Railroadable	Yes				
	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or				
Cleaning	gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com pletely.				
	Avoid solvents or test them in inconspicuous area first.				
Technical & Quality Data	Visit texstyle.com for full details				
Features					
	FR LEAD FREE FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE BACTERIAL WARRANTY				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030052000N001	White/White	78.7			
030052000N002	White/Beige	78.7			
030052000N003	White/Gray	78.7			
030052000N201	Beige/Beige	78.7			
030052000N203	Beige/Gray	78.7			
030052000N901	Charcoal/Charcoal	78.7			
030052000N902*	Charcoal/Bronze	78.7			
030052000N903*	Charcoal/Gray	78.7			
030052500N001	White/White	94.8			
030052500N002	White/Beige	98.4			
030052500N003	White/Gray	98.4			
030052500N201	Beige/Beige	98.4			
030052500N202	Beige/Sable	98.4			
030052500N203	Beige/Gray	98.4			
030052500N301	Gray/Gray	98.4			
030052500N302	Gray/Dark Gray	98.4			
030052500N304	Gray/Blue	98.4			
030052500N901	Charcoal/Charcoal	98.4			
030052500N902	Charcoal/Bronze	98.4			
030052500N903	Charcoal/Gray	98.4			
030053000N001	White/White	118			
030053000N002	White/Beige	118			
030053000N003	White/Gray	118			
030053000N201	Beige/Beige	118			
030053000N203	Beige/Gray	118			
030053000N301	Gray/Gray	118			
030053000N901	Charcoal/Charcoal	118			
030053000N902	Charcoal/Bronze	118			
030053000N903	Charcoal/Gray	118			

3000 NET 10%



3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 10% is the most open in this offering and allows you to take advantage of improved view through.





White/Gray



Charcoal/Charcoal

Composition	25% Polyester, 75% PVC						
Openness	10%						
Width(s)	98.4" (2.5m), 118" (3m)						
Length	33 yd/roll (30m)						
Weight	11.36oz/yd2 (385g/m2)						
Thickness	0.020in (.52mm)						
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19						
Fungal/Bacterial Resistance	ASTM E2180, G21, G22						
Railroadable	Yes						
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely. Avoid solvents or test them in inconspicuous area first.						
Cleaning Technical & Quality Data	eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely.						
	eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely. Avoid solvents or test them in inconspicuous area first.						

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030102500N001	White/White	98.4			
030102500N002	White/Beige	98.4			
030102500N003	White/Gray	98.4			
030102500N901	Charcoal/Charcoal	98.4			
030103000N001	White/White	118			
030103000N002	White/Beige	118			
030103000N003	White/Gray	118			
030103000N901	Charcoal/Charcoal	118			

4000 NET 3%



Similar to our 3000 NET, the 4000 NET 3% fabric brings forth stylish and modern aesthetics with a heavier weight 2x2 basket weave, which is ideal for high traffic and commercial applications.



Composition	27% Polyester, 73% PVC					
Openness	3%					
Width(s)	98.4" (2.5m), 118" (3m)					
Length	33 yd/roll (30m)					
Weight	16.07oz/yd2 (545 g/m2)					
Thickness	0.029in (.75mm)					
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19					
Fungal/Bacterial Resistance	ASTM E2180, G21, G22					
Railroadable	Yes					
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely. Avoid solvents or test them in inconspicuous area first.					
Technical & Quality Data	Visit texstyle.com for full details					
Features	FR LEAD FREE FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE FREE FREE BACTERIAL WARRANTY					
Certifications	REALTH PRODUCT DECLARATION LOW VOC					

Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
040032500N001	White/White	98.4			
040032500N002	White/Beige	98.4			
040032500N003	White/Gray	98.4			
040032500N201	Beige/Beige	98.4			
040032500N203	Beige/Gray	98.4			
040032500N901	Charcoal/Charcoal	98.4			
040032500N902	Charcoal/Bronze	98.4			
040032500NPE1*	Dove/Dove	98.4			
040032500NPE2	Dove/Sand	98.4			
040033000N001	White/White	118			
040033000N002	White/Beige	118			
040033000N003	White/Gray	118			
040033000N201	Beige/Beige	118			
040033000N203	Beige/Gray	118			
040033000N901	Charcoal/Charcoal	118			
040033000N902	Charcoal/Bronze	118			
040033000NPE1	Dove/Dove	118			
040033000NPE2	Dove/Sand	118			

*Available while supplies last

4000 NET 5%



Similar to our 3000 NET, the 4000 NET 5% fabric brings forth stylish and modern aesthetics with a heavier weight 2x2 basket weave, which is ideal for high traffic and commercial applications.



Composition	27% Polyester, 73% PVC						
Openness	5%						
Width(s)	98.4" (2.5m), 118" (3m)						
Length	33 yd/roll (30m)						
Weight	15.34oz/yd2 (520g/m2)						
Thickness	0.027in (.70mm)						
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19						
Fungal/Bacterial Resistance	ASTM E2180, G21, G22						
Railroadable	Yes						
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely. Avoid solvents or test them in inconspicuous area first.						
Technical & Quality Data	Visit texstyle.com for full details						
Features	FR LEAD FREE FORMALDEHYDE PHTHALATE FREE FREE FREE BACTERIAL WARRANTY						
Certifications	CENCENTRY LOW VOC HEALTH PRODUCT LOW VOC HEALTH PRODUCT LECLARATION LOW VOC HEALTH PRODUCT						

Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
040052500N001	White/White	98.4			
040052500N002*	White/Beige	98.4			
040052500N003	White/Gray	98.4			
040052500N202*	Beige/Sable	98.4			
040052500N203*	Beige/Gray	98.4			
040052500N902*	Charcoal/Bronze	98.4			
040053000N001	White/White	118			
040053000N002	White/Beige	118			
040053000N003	White/Gray	118			
040053000N203	Beige/Gray	118			
040053000N901	Charcoal/Charcoal	118			
040053000N902*	Charcoal/Bronze	118			
040053000NPE2	Dove/Sand	118			
040053000N201	Beige/Beige	118			

*Available while supplies last

3000 HT 3%, 5%



The broken twill weave of the 3000 HT 3% & 5% offers customers a solution where white is always facing out, giving the fabric superior reflective properties, providing improved heat control without limiting the color of their interior fabric to white.












White/White

White/Beige

White/Light Gray

White/Dim Gray

White/Bronze



White/Charcoal

Composition	25% Polyester, 75% PVC	25% Polyester, 75% PVC
•		, ,
Openness	3%	5%
Width(s)	98.4" (2.5m)	98.4" (2.5m)
Length	33 yd/roll (30m)	33 yd/roll (30m)
Weight	12.24oz/yd2 (415 g/m2)	11.65oz/yd2 (395 g/m2)
Thickness	0.024in (.60mm)	0.026in (.50mm)
Fire Classification	NFPA 701, M2, BS 5867 Type B, CA	Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22	
Railroadable	No	
Cleaning	eraser or	oth to remove dust. Spot clean with clean white pencil er and damp sponge. If wet, leave shade down to dry com- onspicuous area first.
Technical & Quality Data	Visit texstyle.com for full details	
Features		
	FR LEAD FREE FORMALDEHYDE	PHTHALATE FRAGRANCE ANTI- FREE FREE BACTERIAL WARRANTY PRINTABLE


Product codes and pricing

3000 HT 3%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030032500HT01	White/White	98.4			
030032500HT02	White/Beige	98.4			
030032500HT03	White/Lt Gray	98.4			
030032500HT04	White/Dim Gray	98.4			
030032500HT08	White/Bronze	98.4			
030032500HT09	White/Charcoal	98.4			

3000 HT 5%


Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030052500HT01	White/White	98.4			
030052500HT02	White/Beige	98.4			
030052500HT03	White/Lt Gray	98.4			
030052500HT04	White/Dim Gray	98.4			
030052500HT08	White/Bronze	98.4			
030052500HT09	White/Charcoal	98.4			



The 4700 P series is one our heaviest fabrics and offers an openness factor of less than 1%, making it the perfect choice when maximum privacy is desired.



White/Beige



A 5% openness fabric with a linen-look, 4000 L provides a natural aesthetic with all the benefits of a traditional screen.



White/Brown

		4700 P	4000 L
Composition		20% Polyester, 80% PVC	27% Polyester, 73% PVC
Openness		<1%	5%
Width(s)		98.4" (2.5m)	98.4" (2.5m)
Length		33 yd/roll (30m)	33 yd/roll (30m)
Weight		18.58oz/yd2 (630g/m2)	13.12oz/yd2 (445g/m2)
Thickness		0.035in (.90mm)	0.025in (.65mm)
ire Classification		NFPA 701, M2, BS 5867 Type B, CA Title 19	
ungal/Bacterial R	esistance	ASTM E2180, G21, G22	
Railroadable		No	
Cleaning		or	ove dust. Spot clean with clean white pencil eraser o sponge. If wet, leave shade down to dry com- area first.
Fechnical & Quality	/ Data	Visit texstyle.com for full details	
Features			RAGRANCE ANTI- LIMITED
Certifications		OFFICE FREE FREE OFFICE OFFICE OFFICE OFFICE </td <td>FREE BACTERIAL WARRANTY</td>	FREE BACTERIAL WARRANTY
Product co	des and p	icing	
		Fabric Width (in) Price per Lin. Yd	. Price Per Sq. yd. Price per av. Roll
Code	Color		

 Code
 Color
 Fabric Width (in)
 Price per Lin. Yd.
 Price Per Sq. yd.
 Price per av. Roll


 040052500L103*
 White/Brown
 98.4
 98.4
 98.4
 98.4

*Available while supplies last



Special V Fabrics

Offering 300+ specialty designed fabrics for residential and commercial applications.



A 15% openness factor preserves the view while dressing windows in a modern style.





White/White

030152500R900


Charcoal/Charcoal*

98.4

Charcoal/Charcoal

Technical Information

Composition		27% Polyester,73% PVC				
Openness		15%				
Width(s)		98.4" (2.5m)				
Length		33 yd/roll (30m)				
Weight		13.42oz/yd2 (455g/m2)				
Thickness		0.032in (.83mm)				
Fire Classification		NFPA 701, M2, BS 5867 Type B, CA Title 19				
Fungal/Bacterial R	esistance	ASTM E2180, G21, G22				
Railroadable		No				
Cleaning		Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry com- pletely. Avoid solvents or test them in inconspicuous area first.				
Technical & Quality	y Data	Visit texstyle.com for full details				
Features		FR LEAD FREE FORMALDEHYDE FREE FREE FREE FREE FREE FREE FREE BACTERIAL WITH WARRANTY				
Certifications		CONCERNING AND ADDRESS AND ADD				
Product co	des and pr	icing				
Code	Color	Fabric Width (in) Price per Lin. Yd. Price Per Sq. yd. Price per av. Roll				
030152500R100	White/White*	98.4				



Designed for both exterior and interior spaces, X-Weave is available in 5% and 10% openness and is a heavy duty 2x2 basket weave that makes durability and versatility its strongest characteristics. It's fire retardant finish grants usage in both commercial and residential settings. This fabric is also insect proof and pairs beautifully with our Zipscreen system. Availability in 126" roll widths combined with the ability to be railroaded makes this a preferred fabric selection for large window applications.

New

Colors!





Composition	30% Polyester, 70% PVC 30% Polyester, 70% PVC	
Openness	5% 10%	
Width(s)	126" (3.2m) 126" (3.2m)	
Length	22 yd/roll (20m) 22 yd/roll (30m)	
Weight	15.63oz/yd2 (530g/m2) 13.86oz/yd2 (470g/m2)	
Thickness	0.032in (.82mm) 0.027in (.68mm)	
Fire Classification	NFPA 701	
Fungal/Bacterial Resistance	ASTM E2149	
Railroadable	Yes	
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean wh eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade dowr pletely. Avoid solvents or test them in inconspicuous area first.	·
Technical & Quality Data	Visit texstyle.com for full details	
Features	FR LEAD FREE FREE FREE FREE FREE FREE FREE FRE	
Certifications	CEID-CEEX CONSIDER TO TANDA CONSIDER CONSIDER TO TANDA C	
Product codes and	pricing	

X-Weave 5%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
066003200GRA	Graphite	126			
066003200MAH	Mahogany	126			
0660032000NY	Onyx	126			
066003200SAN	Sand	126			
066003200SLA	Slate	126			
066003200STO	Stone Gray	126			
0660032000BS	Obsidian	126		\$8.14	
066003200WHI	White	126			
066003200RIS	Sunrise	126		\$8.14	
066003200F0S	Fossil	126			
066003200SUN	Sunset	126			

X-Weave 10%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
066103200GRA	Graphite	126			
066103200MAH	Mahogany	126			
0661032000NY	Onyx	126			
066103200SAN	Sand	126			
066103200SLA	Slate	126			
066103200STO	Stone Gray	126			
0661032000BS	Obsidian	126			
066103200WHI	White	126			
066103200RIS	Sunrise	126			
066103200F0S	Fossil	126			
066103200SUN	Sunset	126			

SilverScreen 2%




SilverScreen is a metalized interior solar shade fabric that is available in 2% and 4% openness factors. The secret of its superior and outstanding performance lies in its construction. Backed with an ultra-fine layer of aluminum, SilverScreen is the highest performing screen in the market, dramatically improving solar energy control, while demonstrating an excellent view through with glare control.











White



Bronze

Black

Beige

Light Gray

Steel Gray

Dark Gray

Composition	36% Fiberglass, 64% PVC with Aluminum back				
Openness	2%				
Width(s)	110" (2.8m)				
Length	36 yd/roll (33m)				
Weight	11.8 oz/yd2 (400g/m2)				
Thickness	0.020 in (.50mm)				
Fire Classification	NFPA 701, NFP 92503 specification M1, BS 5867 Part 2 Type B, CA Title 19				
Railroadable	No				
Cleaning	Lightly vacuum to remove surface dust.				
Technical & Quality Data	Visit texstyle.com for full details				
Features					
	FR LEAD FREE FORMALDEHYDE FRAGRANCE 10 YEAR FREE FREE WARRANTY				
Certifications	CEELINGLARAD With the teal the PRODUCT COMPARED TO THE CONSTRAINT OF THE CONSTRAIN				

Product codes and pricing

Code	Color	Width (in)	Price per lin. yd	Price per sq. yd.	Price per av. roll
010022400EB02*	Dark Gray	94			
010022400EC02*	Steel Gray	94			
010022800ED01	White	110			
010022800ED02	Beige	110			
010022800ED03	Lt Gray	110			
010022800EC02	Steel Gray	110			
010022800EB03	Bronze	110			
010022800EB02	Dark Gray	110			
010022800EB01	Black	110			

* Available while supplies last

SilverScreen 4%



SilverScreen is a metalized interior solar shade fabric that is available in 2% and 4% openness factors. The secret of its superior and outstanding performance lies in its construction. Backed with an ultra-fine layer of aluminum, SilverScreen is the highest performing screen in the market, dramatically improving solar energy control, while demonstrating an excellent view through with glare control.



Steel Gray

Bronze

Chocolate Brown

Dark Gray

Black

Composition	36% Fiberglass, 64% PVC with Aluminum back					
Openness	4%					
Width(s)	94.5" (2.4m)					
Length	36 yd/roll (33m)					
Weight	11.8 oz/yd2 (400g/m2)					
Thickness	0.020 in (.50mm)					
Fire Classification	NFPA 701, NFP 92503 specification M1, BS 5867 Part 2 Type B, CA Title 19					
Railroadable	No					
Cleaning	Lightly vacuum to remove surface dust.					
Technical & Quality Data	Visit texstyle.com for full details					
Features						
	FR LEAD FREE FORMALDEHYDE FRAGRANCE 10 YEAR FREE FREE WARRANTY					
Certifications	CREENCUARD WIND WATER CONTRIDUCTION CONTRIPUCTION CONTRIDUCTION CONTRIDUCTION CONTRIDUCTIO					

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
010042400ED01	White	94.5			
010042400ED02	Beige	94.5			
010042400ED04	Dark Beige	94.5			
010042400ED03	Light Gray	94.5			
010042400EC01	Misty Gray	94.5			
010042400EC02	Steel Gray	94.5			
010042400EB01	Black	94.5			
010042400EB02	Dark Gray	94.5			
010042400EB03	Bronze	94.5			
010042400EB04	Chocolate Brown	94.5			

OmniaScreen




Placed at an attractive price point, the aluminum backed 2x2 basket weave solar screen has a 3% openness, perfect for enhancing any living and working atmosphere.



White/White









White/Gray

Charcoal/Charcoal

Charcoal/Bronze



Charcoal/Dark Gray

Composition	25% Polyester, 75% PVC with Aluminum back					
Openness	3%					
Width(s)	110" (2.8m)					
Length	36 yd/roll (33m)					
Weight	12.98 oz/yd2 (440 g/m2)					
Thickness	0.022 in (.55mm)					
Fire Classification	NFPA 701, CA Title 19, UK BS 5867 Part 2, French M1					
Railroadable	Yes					
Cleaning	Lightly vacuum to remove surface dust.					
Technical & Quality Data	Visit texstyle.com for full details					
Features						
	FR LEAD FREE FORMALDEHYDE PHTHALATE FRAGRANCE 10 YEAR FREE FREE FREE FREE WARRANTY					
Certifications	CEENCIARD We want water Compared to the compared to the comp					

Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
010032400N902*	Charcoal/Bronze	94			
010032800N001	White/White	110			
010032800N002	White/Beige	110			
010032800N003	White/Gray	110			
010032800N901	Charcoal/Charcoal	110			
010032800N902	Charcoal/Bronze	110			
010032800N904	Charcoal/Dark Gray	110			

* Available while supplies last

EnviroScreen



EnviroScreen is a metalized PVC free fabric used in roller and panel track applications for both commercial and residential environmentally focused projects. Its highly reflective aluminum backing provides superior thermal and visual comfort in any space, yielding substantial energy savings, and creating a uniform exterior appearance. This desirable specialty weave is available in an appealing neutral color palette with a 2% openness factor.

For projects looking to maximize on green requirements, EnviroScreen is Cradle to Cradle certified, LBC Red List Compliant, and carries additional certifications necessary to claim points in green building rating tools such as LEED, Green Star, BREEAM, and more.



Beige

Tan








Steel Gray

Dark Gray



Light Gray

Black

Composition	100% Polyester with Aluminum back				
Openness	2%				
Width(s)	94.5" (2.4m)				
Length	49 yd/roll (45m)				
Weight	7.37 oz/yd2 (250g/m2)				
Thickness	0.020 in (.50mm)				
Fire Classification	NFPA 701, DIN410 B1, AS 1530_2, BS5867 Part 2, CA Title 19				
Railroadable	No				
Cleaning	Lightly vacuum to remove surface dust.				
Technical & Quality Data	Visit texstyle.com for full details				
Features					
	FR PVC FREE LEAD FREE FORMALDEHYDE PHTHALATE FRAGRANCE 10 YEAR FREE FREE FREE FREE WARRANTY				
Certifications	Craceletocracele				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
0110022400000	Light Gray	94.5			
0110022400765	Tan	94.5			
0110022400711	Beige	94.5			
0110022400936	Steel Gray	94.5			
0110022400998	Dark Gray	94.5			
0110022400829	Black	94.5			

Ambient Renew 1% 📢



Ambient Renew is an eco-friendly PVC Free solar screen fabric made of 85% recycled Repreve® polyester and available in 1% and 5% openness factors. It is designed to behave similarly to a traditional solar screen but without the PVC.

Select Ambient Renew for your commercial or residential space when you're looking to minimize your impact on the environment while maximizing solar control and durability. It's compliance to the Living Building Challenge Red List makes this fabric the optimal choice for more demanding projects.



White/White



Smoke/Smoke



Black/Blue

White/Smoke



Black/Smoke



Black/Gray



Black/Coffee



Page 168 | Explore texstyle.com

Black/Black











Composition	100% Polyester (85% Recycled REPREVE® Polyester)				
Openness	1%				
Width(s)	118" (3m)				
Length	33 yd/roll (30m)				
Weight	11.80 oz/yd2 (400 g/m2)				
Thickness	0.02 in (.54mm)				
Fire Classification	NFPA 701, CA Title 19				
Railroadable	Yes				
Cleaning	Wipe clean with warm soapy water and damp cloth.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	V 🚱 🎝 📢 🙆 📂 🌀 🚍				
	FR RECYCLED RECYCLABLE ECO ENERGY LEAD FREE 5 YEAR PRINTABLE CONTENT FRIENDLY SAVING WARRANTY				
Certifications	HEALTH PRODUCT DECLARATION				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
021013000R001	R001 White/White	118			
021013000R002	R002 White/Beige	118			
021013000R003	R003 White/Smoke	118			
021013000R004	R004 White/Gray	118			
021013000R303	R303 Smoke/Smoke	118			
021013000R404	R404 Gray/Gray	118			
021013000R503	R503 Black/Smoke	118			
021013000R504	R504 Black/Gray	118			
021013000R505	R505 Black/Black	118			
021013000R506	R506 Black/Coffee	118			
021013000R507	R507 Black/Blue	118			

Ambient Renew 5% 📢



Ambient Renew is an eco-friendly PVC Free solar screen fabric made of 85% recycled Repreve® polyester and available in 1% and 5% openness factors. It is designed to behave similarly to a traditional solar screen but without the PVC.

Select Ambient Renew for your commercial or residential space when you're looking to minimize your impact on the environment while maximizing solar control and durability. It's compliance to the Living Building Challenge Red List makes this fabric the optimal choice for more demanding projects.



White/White



Smoke/Smoke



Black/Blue

White/Smoke




Black/Smoke



White/Gray



Black/Coffee















Composition	100% Polyester (85% Recycled REPREVE® Polyester)				
Openness	5%				
Width(s)	118" (3m)				
Length	33 yd/roll (30m)				
Weight	9.0 oz/yd2 (305 g/m2)				
Thickness	.01 in (.48mm)				
Fire Classification	NFPA 701, CA Title 19				
Railroadable	Yes				
Cleaning	Wipe clean with warm soapy water and damp cloth.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	V 🚱 🤹 📢 🙆 🕫 🗐 🚍				
	FR RECYCLED RECYCLABLE ECO ENERGY LEAD FREE 5 YEAR PRINTABLE CONTENT FRIENDLY SAVING WARRANTY				
Certifications	HEALTH PRODUCT DECLARATION				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
021053000R001	R001 White/White	118			
021053000R002	R002 White/Beige	118			
021053000R003	R003 White/Smoke	118			
021053000R004	R004 White/Gray	118			
021053000R303	R303 Smoke/Smoke	118			
021053000R404	R404 Gray/Gray	118			
021053000R503	R503 Black/Smoke	118			
021053000R504	R504 Black/Gray	118			
021053000R505	R505 Black/Black	118			
021053000R506	R506 Black/Coffee	118			
021053000R507	R507 Black/Blue	118			

Check out the **Texstyle Visualizer**

Simulate how different fabrics will look in the real world, ensuring you make the optimal selection for your next shading project.




Explore | Texstyle.com

Mesa Light Filtering



The cosmopolitan fabric, Mesa Light Filtering, is ideal for commercial and residential applications to allow light in while maintaining privacy. Made from 100% polyester, Mesa Light Filtering is PVC-free, and offers a high-quality, soft appearance that will add beauty to any room.

Mesa Light Filtering is available in five soft, neutral colors and matches perfectly with Mesa Blackout. Ideal for digital printing, Dove White is available with a pre-established HP Digital Latex print profiles for seamless setup.



Composition	100% Polyester				
Openness	Light Filtering				
Width(s)	118" (3m)				
Length	27 yd/roll (25m)				
Weight	6.93 oz/yd2 (235g/m2)				
Thickness	0.019 in (.48mm)				
Fire Classification	NFPA 701, CA Title 19				
Railroadable	No				
Cleaning	Wipe clean with warm soapy water and damp cloth.				
Technical & Quality Data	Visit texstyle.com for full details				
Features					
	FR PVC FREE FRAGRANCE ENERGY 10 YEAR PRINTABLE FREE SAVING WARRANTY				
Certifications	CONVERSE OF CONVER				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
061013000DOV	Dove White	118			
061013000ICE	Ice Gray	118			
061013000M00	Moonstone	118			
061013000NOU	Nougat	118			
061013000QUI	Quill	118			

Mesa Blackout



The cosmopolitan fabric, Mesa blackout, is ideal for commercial and residential applications that require total light blockage and privacy. Made from 100% polyester with an acrylic coating, Mesa is PVC-free, offering a high-quality, soft appearance that will add beauty to a room while providing privacy. Match Mesa blackout to Mesa light filtering or the 3000 NET solar screen series. Dove White is ideal for digital printing, with pre-established HP Digital Latex print profiles for a seamless setup.



Composition	100% Polyester with Acrylic Foam Coating				
Openness	Blackout				
Width(s)	118" (3m)				
Length	22 yd/roll (20m)				
Weight	9.4 oz/yd2 (320g/m2)				
Thickness	0.022 in (.55mm)				
Fire Classification	NFPA 701, CA Title 19				
Railroadable	No				
Cleaning	Wipe clean with warm soapy water and damp cloth.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	O 🕺 🗿 🗐 🐨				
	FR PVC FREE FRAGRANCE ENERGY 10 YEAR PRINTABLE FREE SAVING WARRANTY				
Certifications	CEELVELARATION CONTACT OF CONTACT OF CONTAC				


Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
061003000DOV	Dove White	118			
061003000WHI	White	118			
061003000PEA	Pearl	118			
061003000SEA	Seal	118			
061003000SLA	Slate	118			
061003000BLA	Black	118			
061003000DUN	Dune	118			
061003000ICE	Ice Gray	118			
061003000MIS	Mist	118			
061003000M00	Moonstone	118			
061003000NOU	Nougat	118			
061003000QUI	Quill	118			
061003000STO	Storm	118			

Mesa Façade Blackout

New Colors!



Using the same Mesa Blackout quality you know and love, Mesa Facade Blackout offers four colors with a charcoal back. The facade blending back color helps your shades disappear from street view and is ideal for open roll systems that use a dark front blackout color. Tuxedo Facade is also available with pre-established HP Digital Latex print profile for seamless setup.



Tuxedo Façade


Slate Façade

Storm Façade


Black Façade

Weight	9.4 oz/yd2 (320g/m2)
Thickness Fire Classification	0.022 in (.55mm) NFPA 701, CA Title 19
Railroadable	No
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit texstyle.com for full details
Features	🕑 🕺 🍪 🚺 📅 🥅
	FR PVC FREE FRAGRANCE ENERGY 10 YEAR PRINTABLE FAÇADE FREE SAVING WARRANTY BLENDING
Certifications	CONSISTENCE OF THE OFFICE OFFI

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
061003000TUX	Tuxedo Façade	118			
061003000SLAF	Slate Façade	118			
061003000STOF	Storm Façade	118			
061003000BLAF	Black Façade	118			



Tempe blackout fabric is made from 100% polyester with an acrylic coating. Perfectly block light and enhance privacy with this off-white backed PVC-free, economical and environmentally friendly fabric.



Composition	100% Polyester with Acrylic Coating				
Openness	Blackout				
Width(s)	98.4" (2.5m), 118" (3m)				
Length	33 yd/roll (30m)				
Weight	11.8 oz/yd2 (400 g/m2)				
Thickness	0.012 in (.40mm)				
Fire Classification	NFPA 701, CA Title 19				
Railroadable	No				
Cleaning	Wipe clean with warm soapy water and damp cloth.				
Technical & Quality Data	Visit texstyle.com for full details				
Features					
	FR PVC FREE LEAD FREE PHTHALATE FRAGRANCE 10 YEAR PRINTABLE FREE FREE WARRANTY				
Certifications	CREENCUAR WINNER COD COD COD COD COD COD COD COD				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
062002500ALM	Almond	98.4			
062002500CL0	Cloud	98.4			
062002500DES	Desert	98.4			
062002500EBO	Ebony	98.4			
062002500ESP	Espresso	98.4			
062002500LIN	Linen	98.4			
062002500POL	Polar	98.4			
062003000ALM	Almond	118			
062003000CLO	Cloud	118			
062003000DES	Desert	118			
062003000EBO	Ebony	118			
062003000ESP	Espresso	118			
062003000LIN	Linen	118			
062003000POL	Polar	118			

Sanctuary Light Filtering



Inspired by the organic textures of nature, the Sanctuary collection is a defining aesthetic, available in 11 exceptional matching light filtering and blackout colors. Its unique threedimensional pattern is available in a 118" width and will provide the competitive edge you have been looking for. Suitably designed for roller, roman and panel blinds, Sanctuary will transform and bring your interior space to life.





Lava

Composition	100% Polyester		
Openness	Light Filtering Approximately 3%		
Width(s)	118" (3m)		
Length	22 yd/roll (20m)		
Weight	6.05 oz/yd2 (205 g/m2)		
Thickness	0.018 in (0.05 mm)		
Railroadable	No		
Cleaning	Surface dust can be removed with vacuum or a soft cloth.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	PVC FREE 5 YEAR PRINTABLE		
	WARRANTY		
Certifications	CONSIDERATE DECOMPOSITION OF THE CONSIDERATE OF THE		

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
058013000PLA	Plaster	118			
058013000MAR	Marble	118			
058013000LIM	Limestone	118			
058013000CER	Ceramic	118			
058013000TRU	Truffle	118			
058013000FOS	Fossil	118			
058013000SUE	Suede	118			
058013000MIN	Mineral	118			
058013000SLA	Slate	118			
058013000BAL	Baltic	118			
058013000LAV	Lava	118			

Sanctuary Blackout



Inspired by the organic textures of nature, the Sanctuary collection is a defining aesthetic, available in 11 exceptional matching light filtering and blackout colors. Its unique three-dimensional pattern is available in a 118" width and will provide the competitive edge you have been looking for. Suitably designed for roller, roman and panel blinds, Sanctuary will transform and bring your interior space to life.





Lava

Composition	100% Polyester with Acrylic Foam Coating
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	12.68 oz/yd2 (430 g/m2)
Thickness	0.024 in (0.60 mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth.
Technical & Quality Data	Visit texstyle.com for full details
Features	PVC FREE SYEAR WARRANTY PRINTABLE
Certifications	CELEVICIE CELEVICIE With Water With Water Construction

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
058003000PLA	Plaster	118			
058003000MAR	Marble	118			
058003000LIM	Limestone	118			
058003000CER	Ceramic	118			
058003000TRU	Truffle	118			
058003000FOS	Fossil	118			
058003000SUE	Suede	118			
058003000MIN	Mineral	118			
058003000SLA	Slate	118			
058003000BAL	Baltic	118			
058003000LAV	Lava	118			



Verona is a high quality, versatile, light filtering solid and is available in a wide variety of contemporary colors, making it an excellent choice for any room.



Composition	100% Polyester			
Openness	Light Filtering Approximately 1%			
Width(s)	92.5" (2.35m) Select colors also available in 78.7"			
Length	44 yd/roll (40m)			
Weight	5.31 oz/yd2 (180 g/m2)			
Thickness	0.016 in (.40mm)			
Railroadable	Yes			
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.			
Technical & Quality Data	Visit texstyle.com for full details			
Features	PVC FREE S YEAR WARRANTY PRINTABLE			
Certifications	OEKO-TEX® Confidence in Territs STANDARD Daton Nets for harming national www.web. isc.com/stataef10			

Product codes and pricing

Code	Color	Fabric Width (in)	Price per lin. yd	Price per sq. yd.	Price per av. roll
07330654105091	Vanilla	78.7			
07330654105107	White	78.7			
07330654108733	Natural	78.7			
07330654246497	Lt Gray	78.7			
07330654246503	Stone	78.7			
07330654312857	Slate	78.7			
07330654435129*	Teal	78.7			
07330654596820	Navy Blue	92.5			
07330654596837	Light Blue	92.5			
07330654596851	Blue Gray	92.5			
07330654611011	Lake Blue	92.5			
07330654596769	Light Gray	92.5			
07330654596776	Stone	92.5			
07330654596783	Shadow	92.5			
07330654596790	Sand	92.5			
07330654595533	Vanilla	92.5			
07330654596691	White	92.5			
07330654596714	Noir	92.5			
07330654596844	Teal	92.5			

*Available while supplies last

Milano

PANEL

ROLLER

Milano is a cost-effective light-filtering solution which is available in a wide variety of colors. It's closed weave allows you to maintain privacy in your space while still allowing soothing natural light to come in. It's matching blackout, Torino, allows you to mix and match opacities within your space. Versatile and attractively priced, Milano is perfect for any room.











Harvest



Pale Gray

Light Gray

Gray

Oatmeal

Dark Chocolate



Charcoal


Composition	100% Polyester		
Openness	Light Filtering Approximately 0%		
Width(s)	78.7" (2m) & 92.5" (2.35m)		
Length	44 yd/roll (40m)		
Weight	5.01 oz/yd2 (170 g/m2)		
Thickness	0.016 in (.40mm)		
Railroadable	Yes		
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	PVC FREE 5 YEAR WARRANTY		
Certifications	OEKO-TEX® contrained in textures STANDA Total Contrained There is the must be be considered to		

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654373698	Rice White	78.7	\$7.49	\$3.43	\$329.56
07330654373865	Pearl	78.7			
07330654375821	Pale Gray	78.7			
07330654551690	Light Gray	78.7			
07330654373872	Gray	78.7			
07330654373957	Dark Chocolate	78.7			
07330654373759	Dark Blue	78.7			
07330654373704	Charcoal	78.7			
07330654373681	Oatmeal	78.7			
07330654373889	Dark Cream	78.7			
07330654375838	Harvest	78.7	\$7.49	\$3.43	\$329.56
07330654453406	Rice White	92.5			

Torino



Torino is a cost-effective blackout fabric which is available in a wide variety of colors. It's matching Light Filtering counterpart, Milano, allows you to mix and match opacities within your space. Versatile and attractively priced, Torino is perfect for any room.



Page 189 | Explore texstyle.com

Composition	100% Polyester		
Openness	Blackout		
Width(s)	78.7" (2m) & 92.5" (2.35m)		
Length	27 yd/roll (25m)		
Weight	8.55/10.32 oz/yd2 (290/350 g/m2)		
Thickness	0.020 in (.50mm)		
Railroadable	No		
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	PVC FREE 5 YEAR WARRANTY		
Certifications	OEKO-TEX® CONTRACT IN TATILIS STANDADADIO Inter for hormal automatication		

Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654373988	Rice White	78.7	\$15.00	\$6.86	\$405.00
07330654373995	Black	78.7			
07330654375845	Pale Gray	78.7			
07330654374145	Gray	78.7			
07330654373971	Oatmeal	78.7			
07330654374138	Pearl	78.7			
07330654375852	Harvest	78.7			
07330654374190 *	Dark Chocolate	78.7			
07330654612124	Dark Chocolate	92.5			
07330654612063	Light Gray	92.5			
07330654426318	Rice White	92.5			
07330654564706	Black	92.5			
07330654564683	Pale Gray	92.5			
07330654564690	Gray	92.5			
07330654564669	Oatmeal	92.5			
07330654564652	Pearl	92.5			
07330654596875	Dark Blue	92.5			
07330654564676	Harvest	92.5			

*Available while supplies last

Panama



Although not a blackout fabric, Panama is a privacy-oriented solution; letting some light through while blocking exterior view through. Panama is a versatile textured solid that adds visual interest to the shade.



White

Composition	100% Polyester	
Openness	Light Filtering Approximately 0%	
Width(s)	92.5" (2.35m)	
Length	44 yd/roll (40m)	
Weight	8.26 oz/yd2 (280 g/m2)	
Thickness	0.016 in (.40mm)	
Railroadable	Yes	
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.	
Technical & Quality Data	Visit texstyle.com for full details	
Features	PVC FREE 5 YEAR WARRANTY	
Certifications	OEKO-TEX® confidence in features STANDARD 100 Tempto fuering attained we note for construction	

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654608776	White	92.5			

Tusk Light Filtering



From textured earth tones to the rich, warm colors of weathered sandstone cliffs, Tusk provides comfort and harmony to every space. Tusk is available in both Light Filtering and Blackout with a color matched back, making it ideal for open roll shade systems.









Pepper



Mushroom

Whisper



Henna

Hazelnut

Slate

Beach



Composition	100% Polyester	
Openness	Light Filtering Approximately 1%	
Width(s)	118" (3m)	
Length	22 yd/roll (20m)	
Weight	5 oz/yd² (170 g/m²)	
Thickness	0.012 in (.30mm)	
Railroadable	No	
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.	
Technical & Quality Data	Visit texstyle.com for full details	
Features	PVC FREE 5 YEAR WARRANTY	
Certifications	OEKO-TEX® contraster to ITATUS STANDARD 100	

Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
059003000WHI	Whisper	118	\$22.01	\$6.71	\$484.22
059003000COC	Coconut	118			
059003000BEA	Beach	118	\$22.01	\$6.71	\$484.22
059003000PEP	Pepper	118			
059003000MUS	Mushroom	118	\$22.01	\$6.71	\$484.22
059003000HEN	Henna	118			
059003000HAZ	Hazelnut	118	\$22.01	\$6.71	\$484.22
059003000SLA	Slate	118			

*Available while supplies last

Tusk Blackout




From textured earth tones to the rich, warm colors of weathered sandstone cliffs, Tusk provides comfort and harmony to every space. Tusk is available in both Light Filtering and Blackout with a color matched back, making it ideal for open roll shade systems.









Pepper



Mushroom

Whisper



Henna



Hazelnut

Slate

Beach

Composition	100% Polyester		
Openness	Blackout		
Width(s)	118" (3m)		
Length	22 yd/roll (20m)		
Weight	10.62 oz/yd² (360 g/m²)		
Thickness	0.017 in (.43mm)		
Railroadable	No		
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	EV 5		
	PVC FREE 5 YEAR WARRANTY		
Certifications	OEKO-TEX® contributed in transmis STANDARD 100 Test dir transmission www.ede bit contrainduction		

Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
0591003000WHI	Whisper	118	\$36.37	\$11.10	\$800.14
0591003000COC	Coconut	118			
0591003000BEA	Beach	118	\$36.37	\$11.10	\$800.14
0591003000PEP	Pepper	118			
0591003000MUS	Mushroom	118	\$36.37	\$11.10	\$800.14
0591003000HEN	Henna	118			
0591003000HAZ	Hazelnut	118	\$36.37	\$11.10	\$800.14
0591003000SLA	Slate	118			

*Available while supplies last

Chambray



A simple geometric print, Chambray introduces pattern in a calming manner.



White/White





Stickan introduces a varied vertical stripe, lengthening the window and adding visual appeal. It's ability to be railroaded also allows for the stripe to run horizontally on the window if desired.





White/White

Gray/White

	Chambray	Stickan
Composition	100% Polyester	100% Polyester
Openness	Light Filtering Approximately 1%	Light Filtering Approximately 1%
Width(s)	78.7" (2m)	78.7" (2m)
Length	44 yd/roll (40m)	44 yd/roll (40m)
Weight	5.31 oz/yd² (180 g/m²)	5.31 oz/yd² (180 g/m²)
Thickness	0.016 in (.40mm)	0.016 in (.40mm)
Railroadable	Yes	Yes
Cleaning	Vacuum cleaning and/or gentle wiping v any other solvents, and do not rub.	vith a sponge and mild soap. Do not soak, do not use
Technical & Quality Data	Visit texstyle.com for full details	
Features	ØV) (5	
	PVC FREE 5 YEAR WARRANTY	
Certifications	OEKO-TEX ® controlate to internate STANDARD 100 **** Tende for land adatason. www.edu ex constituted10	

Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654440260	White/White	78.7			

Stickan

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654433934*	Gray White	78.7			
07330654163114	White White	78.7			

* Available while supplies last






Created using a puff paint, the striped pattern on Chenille adds dimensional interest to the window shade.



White

Chenille
100% Polyester
Light Filtering Approximately 1%
78.7" (2m)
44 yd/roll (40m)
4.42 oz/yd² (150 g/m²)
0.026 in (.65mm)
Yes, pattern direction will change
Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Visit texstyle.com for full details
1 5
PVC FREE 5 YEAR WARRANTY
OEKO-TEX ® convolución in territoria STANDARD 100 % Teste for territoria transmorti reste for secondardemoti

Chenille						
Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll	
07330654267409	White	78.7	\$15.18	\$6.94	\$667.92	



Made of recycled polyester, Mandal is eye catching and environmentally friendly. The tonal texture adds a natural design aesthetic to the window and the fabric can be railroaded allowing the texture to run either vertically or horizontally on the window.







Vanilla

Pebble

Dark Blue

Composition	100% Recycled Polyester
Openness	Light Filtering Approximately 3%
Width(s)	78.7" (2m)
Length	44 yd/roll (40m)
Weight	3.83 oz/yd² (130 g/m²)
Thickness	0.012 in (.30mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit texstyle.com for full details
Features	
	PVC FREE 5 YEAR RECYCLED WARRANTY CONTENT
Certifications	OEKO-TEX® CONTRIBUCE IN TETRIS STANDARD 100 Tetribute in terminal advance. Www.ede.bsc.embladatetti0

Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654613206	Dark Blue	78.7			
07330654437017	Vanilla	78.7			
07330654437055	Pebble	78.7			

*Available while supplies last





Made of recycled polyester, Karuna's open weave adds sophistication and a natural appearance to any room.





Black

Composition	100% Recycled Polyester
Openness	Transparent Approximately 16%
Width(s)	78.7" (2m)
Length	44 yd/roll (40m)
Weight	5.60 oz/yd² (190 g/m²)
Thickness	0.022 in (.55mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit texstyle.com for full details
Features	PVC FREE S YEAR RECYCLED CONTENT
Certifications	OEKO-TEX ® CONTRACT IN TETTILS STANDARD IN TETTILS We also be to another than the statements way also be consistent of the

Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654612353	Light Gray	78.7	\$24.73	\$11.31	\$1,088.12
07330654612360	Dark Gray	78.7			
07330654612407	Tan	78.7	\$24.73	\$11.31	\$1,088.12
07330654424659	Beige	78.7			
07330654424628	Snow	78.7	\$24.73	\$11.31	\$1,088.12
07330654424604	Black	78.7			

*Available while supplies last

Balmoral Light Filtering



The Balmoral collection offers the complete styling solution with pure elegance and a premium design aesthetic. Available in 13 exceptionally matched colors, privacy is achieved in all light conditions.



Armour

Platinum

Chrome






Composition	100% Polyester
Openness	Light Filtering Approximately 6%
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	6.49 oz/yd² (220 g/m²)
Thickness	0.022 in (.55mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit texstyle.com for full details
Features	PVC FREE UNARRANTY PRINTABLE
Certifications	CREENCUARD CREENCUARD MORE WATER WATER CONVERSION CONTRACT OF CONVERSION C

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
064003000BIR	Birch	118			
064003000BOU	Bourneville	118			
064003000CON	Concrete	118			
064003000DOV	Dove	118			
064003000JET	Jet	118			
064003000PEA	Pearl	118			
064003000PUT	Putty	118			
064003000PYR	Pyrite	118			
064003000STE	Steel	118			
064003000WHI	White	118			
064003000ARM	Armour	118			
064003000CHR	Chrome	118			
064003000PLA	Platinum	118			

Balmoral Blackout



The Balmoral collection offers the complete styling solution with pure elegance and a premium design aesthetic. Available in 13 exceptionally matched colors, privacy is achieved in all light conditions.



Armour

Platinum

Chrome







Composition	100% Polyester with Acrylic Foam Coating
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	11.50 oz/yd² (390 g/m²)
Thickness	0.023 in (.60mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit texstyle.com for full details
Features	PVC FREE S YEAR PRINTABLE
Certifications	CERCO-TEX ® CONTRACT IN TERMS CONTRACT IN TERMS

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
065003000BIR	Birch	118			
065003000BOU	Bourneville	118			
065003000CON	Concrete	118			
065003000DOV	Dove	118			
065003000JET	Jet	118			
065003000PEA	Pearl	118			
065003000PUT	Putty	118			
065003000PYR	Pyrite	118			
065003000STE	Steel	118			
065003000WHI	White	118			
065003000ARM	Armour	118			
065003000CHR	Chrome	118			
065003000PLA	Platinum	118			

Jersey Light Filtering




Delicate yarns intricately woven give rise to Jersey, a fabric collection inspired by more traditional textile design methods. Simple yet sophisticated, the Jersey color palette complements a broad spectrum of decors and interior spaces.



Opal



Pavement



Organic











Timber

Stone

Render

Composition	100% Polyester
Openness	Light Filtering Approximately 10%
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	7.67 oz/yd² (260g/m²)
Thickness	0.025 in (0.63mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth
Technical & Quality Data	Visit texstyle.com for full details
Features	PVC FREE SYEAR WARRANTY PRINTABLE
Certifications	CALCULAR CONTRACTOR OF

Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
0540030000PA	Opal	118			
0540030000RG	Organic	118			
054003000PAV	Pavement	118			
054003000REN	Render	118			
054003000STE	Steel	118			
054003000STO	Stone	118			
054003000TIM	Timber	118			

_

_

_

Jersey Blackout



Delicate yarns intricately woven give rise to Jersey, a fabric collection inspired by more traditional textile design methods. Simple yet sophisticated, the Jersey color palette complements a broad spectrum of decors and interior spaces.



Organic



Pavement



Steel









Timber

Stone

Render


Composition	100% Polyester
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	13.27 oz/yd² (450g/m²)
Thickness	0.028 in (0.72mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth
Technical & Quality Data	Visit texstyle.com for full details
Features	PVC FREE 5 YEAR PRINTABLE
Certifications	CONCINCTION OF THE CONSTRUCTION OF THE CONSTRUCTURE OF THE CONSTRU

Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
0530030000PA	Opal	118			
0530030000RG	Organic	118			
053003000PAV	Pavement	118			
053003000REN	Render	118			
053003000STE	Steel	118			
053003000STO	Stone	118			
053003000TIM	Timber	118			

_

_



A simple pattern with broad appeal, Trento introduces a truly natural aesthetic to your space by using 100% natural fibers and slub yarns.



White

	Trento
Composition	100% Cotton
Openness	Light Filtering Approximately 0%
Width(s)	78.7" (2m)
Length	33 yd/roll (30m)
Weight	9.14 oz/yd2 (310 g/m2)
Thickness	0.024 in (.60mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit texstyle.com for full details
Features	6
	PVC FREE 5 YEAR WARRANTY

Trento					
Code	Color	Fabric Width (in)	Price per lin. yd	Price per sq. yd.	Price per av. roll
07330654108115	White	78.7	\$22.87	\$10.46	\$754.71

Romana



A unique and eye-catching weave makes Romana the perfect addition to your window shade.



White

	Romana
Composition	80% Cotton, 20% Flax
Openness	Light Filtering Approximately 2%
Width(s)	78.7" (2m)
Length	33 yd/roll (30m)
Weight	7.96 oz/yd2 (270 g/m2)
Thickness	0.012 in (.50mm)
Railroadable	Yes, pattern direction will change.
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit texstyle.com for full details
Features	PVC FREE SYEAR WARRANTY

Romana						
Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll	
07330654143321	White	78.7				



Sourcing from some of the best mills in the world, Texstyle is devoted to offering only the highest quality fabrics.



Avesta light filtering boasts an intricate weave with a neutral color palette incorporating the colors of nature.



Natural



Beige

Avesta Blackout



Avesta blackout boasts an intricate weave with a neutral color palette incorporating the colors of nature.



Natural

	Avesta	Avesta Blackout
Composition	40% Viscose, 23% Polyester, 20% Cotton, 17% Flax	40% Viscose, 23% Polyester, 20% Cotton, 17% Flax with Acrylic Coating
Openness	Light Filtering Approximately 1%	Blackout
Width(s)	80.7" (2.05m)	80.7" (2.05m)
Length	27 yd/roll (25m)	22 yd/roll (20m)
Weight	10.91 oz/yd2 (370 g/m2)	14.75 oz/yd2 (500 g/m2)
Thickness	0.029 in (.75mm)	0.035 in (.90mm)
Railroadable	Yes, pattern direction will change.	Yes, pattern direction will change.
Cleaning	Vacuum cleaning and/or gentle wiping with a any other solvents, and do not rub.	a sponge and mild soap. Do not soak, do not use
Technical & Quality Data	Visit texstyle.com for full details	
Features	PVC FREE 5 YEAR WARRANTY	

Avesta					
Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654307402	Natural	80.7	\$27.25	\$12.16	\$735.75
07330654371786*	Beige	80.7			
				*Ava	ilable while supplies last
Avesta Blackout					
Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654329930	Natural	80.7			

Vista Blackout



Vista is a sophisticated blackout coated jacquard fabric. With a complex weave construction, Vista offers a real three-dimensional appearance, with a color palette designed to compliment any interior.











Surf



Driftwood

Sand

Pumice

Dune

Paperbark

Composition	100% Polyester		
Openness	Blackout		
Width(s)	110" (2.8m)		
Length	28 yd/roll (25m)		
Weight	11.15 oz/yd2 (378 g/m2)		
Thickness	0.021 in (.53mm)		
Railroadable	No		
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	PVC FREE 5 YEAR WARRANTY PRINTABLE		
Certifications	CELOCIAR CELOCI		

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
063002800DRI	Driftwood	110			
063002800DUN	Dune	110			
063002800PAB	Paperbark	110			
063002800PUM	Pumice	110			
063002800SAN	Sand	110			
063002800SUR	Surf	110	\$39.57	\$12.95	\$1,088.18